

Journal Articles

- “On a quadratic first integral for the charged particle orbits in the charged Kerr solution,” L.P. Hughston, R. Penrose, P. Sommers, and M. Walker, *Commun. Math. Phys.*, **27** 303-308 (1972).
- “Spacetimes with Killing tensors,” L.P. Hughston, P. Sommers, *Commun. Math. Phys.*, **32** 147-152 (1973).
- “The symmetries of Kerr black holes,” L.P. Hughston, P. Sommers, *Commun. Math. Phys.*, **33** 129-133 (1973).
- “On Killing tensors and constants of motion,” P. Sommers, *J. Math. Phys.* **14** 787-790 (1973).
- “A characterization of the Bondi-Metzner-Sachs group,” B. Schmidt, M. Walker, and P. Sommers, *Gen Relativ. and Gravitation* **6**, 489-497 (1975).
- “A note on Hauser’s type N gravitational field with twist,” P. Sommers and M. Walker, *J. Phys. A* **9** 357-367 (1976).
- “Properties of shear-free congruences of null geodesics,” P. Sommers, *Proc. Roy. Soc.* **A349**, 309-318 (1976).
- “Type N vacuum spacetimes as special functions in \mathbf{C}^2 ,” P. Sommers, *Gen. Relativ. and Gravitation* **8**, 855-863 (1977).
- “The geometry of the gravitational field at spacelike infinity,” P. Sommers, *J. Math. Phys.*, **19** 549-554 (1978).
- “Space spinors,” P. Sommers, *J. Math. Phys.* **21**, 2567-2571 (1980).
- “Algebraically special Yang-Mills solutions without sources,” R.O. Fulp, P. Sommers, and L.K. Norris, *J. Math. Phys.* **22**, 2040-2054 (1981).
- “Evidence for 500 TeV gamma-ray emission from Hercules X-1,” R.M. Baltrusaitis et al., *Ap. J. Lett.* **293**, L69-L72 (1985).
- “Upper limits for northern hemisphere 10^{15} eV gamma-ray sources,” R.M. Baltrusaitis et al., *Ap. J.* **297**, 145-150 (1985).
- “Ultra high energy gamma ray astronomy using atmospheric Cherenkov detectors at large zenith angles,” P. Sommers and J.W. Elbert, *J. Phys. G* **13**, 553-566 (1987).

- “Sporadic and periodic 10-1000 TeV gamma rays from Cygnus X-3,” R.M. Baltrusaitis et al., *Ap. J.* **323**, 685-689 (1987).
- “Evidence for 10^{18} eV neutral particles from the direction of Cygnus X-3,” G.L. Cassiday et al., *Phys. Rev. Lett.*, **62**, 383-386 (1989).
- “Implications of the Fly’s eye evidence for neutral particles from Cygnus X-3 with energies near 10^{18} eV,” P. Sommers and J.W. Elbert, *Astrophys. Lett. & Comm.* **27**, 397-402 (1990).
- “High energy neutrinos from Active galactic nuclei,” F.W. Stecker, C. Done, M.H. Salamon, and P. Sommers *Phys. Rev. Lett.* **66**, 2697-2700 (1991).
- “Extremely high energy cosmic rays,” P. Sokolsky, P. Sommers, and B.R. Dawson, *Physics Reports* **217**, 225-277 (1992).
- “Evidence for correlated changes in the spectrum and composition of cosmic rays at extremely high energies,” D.J. Bird et al., *Phys. Rev Lett.*, **71**, 3401-3404 (1993).
- “Cosmic ray composition around 10^{18} eV,” T.K. Gaisser et al., *Phys. Rev.* **D47**, 1919-1932 (1993).
- “The cosmic ray energy spectrum observed by the Fly’s Eye,” D.J. Bird et al., *Ap. J.* **424**, 491-502 (1994).
- “A study of the chemical composition of cosmic rays around 10^{18} eV,” T.K. Gaisser et al., *Comments Astrophys.* **17**, 103-115 (1993).
- “The calibration of the absolute sensitivity of photomultiplier tubes in the High Resolution Fly’s Eye Detector,” D.J. Bird et al., *Nucl. Inst. & Meth.* **A349**, 592-599 (1994).
- “Detection of a cosmic ray with measured energy well beyond the expected spectral cutoff due to cosmic microwave radiation,” D.J. Bird et al., *Ap. J.* **441**, 144-150 (1995).
- “In search of a source for the 320 EeV Fly’s Eye cosmic ray,” Jerome W. Elbert and Paul Sommers, *Ap. J.* **441**, 151-161 (1995).
- “Capabilities of a Giant Hybrid Air Shower Detector,” Paul Sommers, *Astroparticle Physics* **3**, 349-360 (1995).
- “Simulations of a giant hybrid air shower detector,” B.R. Dawson, H.Y. Dai, P. Sommers, and S. Yoshida, *Astroparticle Physics* **5**, 239-247 (1996).

- “Extremely high energy neutrinos and their detection,” S. Yoshida, H. Dai, C.C.H. Jui, and P. Sommers, *Ap. J.* **479**, 547-559 (1997).
- “Re-examination of cosmic ray composition around 10^{18} eV from Fly’s Eye data,” L.K. Ding et al., *Ap. J.* **474**, 490-495 (1997).
- “Energy dissipation of hadronic interactions well above collider energies viewed from Fly’s Eye data on depths of shower maxima,” L.K. Ding et al., *Int. J. Modern Phys.* **A13**, 635-655 (1998).
- “Study of broad scale anisotropy of cosmic ray arrival directions from 2×10^{17} eV to 10^{20} eV from Fly’s Eye data,” D.J. Bird et al., *Ap. J.* **511**, 739 (1999).
- “Geometrical Reconstruction with the High Resolution Fly’s Eye Prototype Cosmic Ray Detector,” C.R. Wilkinson et al., *Astroparticle Physics*, **12**, 121-134 (1999).
- “The Prototype High Resolution Fly’s Eye Cosmic Ray Detector,” T. Abu-Zayyad et al., *NIM*, **450**, 253-269 (2000).
- “A Measurement of the Cosmic Ray Spectrum and Composition at the Knee,” by J.W. Fowler et al., *Astroparticle Physics* (2000).
- “Evidence for changing of cosmic ray composition between 10^{17} and 10^{18} eV from multicomponent measurements,” by T. Abu-Zayyad et al., *Phys. Rev. Lett.* **84**, 4276 (2000).
- “Measurement of the Cosmic Ray Spectrum and Composition from 10^{17} to 10^{18} eV Using a Hybrid Fluorescence Technique,” by T. Abu-Zayyad et al., *Astrophys. J.* **557**, 686 (2001).
- “Cosmic Ray Anisotropy Analysis with a Full-Sky Observatory,” by P. Sommers, *Astroparticle Physics*, **14**, 271 (2001).
- “The Auger Observatory and Physics of the Highest Energy Cosmic Rays,” P. Sommers, *Comments on Modern Physics* **2**, A261 (2002).
- “Properties and performance of the prototype instrument for the Pierre Auger Observatory,” Auger Collaboration, *Nuclear Instruments and Methods*, **A523**, Issues 1-2, pp. 50-95 (2004).
- “Extensive air showers and measurement techniques,” Paul Sommers, *Comptes Rendus Physique*, **5**, pp. 463-472 (2004).
- “Identification of the primary cosmic ray,” Pierre Billoir and Paul Sommers, *Comptes Rendus Physique*, **5**, pp. 495-503 (2004).

Conference Book

Complex Manifold Techniques in Theoretical Physics,” Ed: D. Lerner and P. Sommers, Pitman Publishing Ltd., London (1979).

Conference articles in which I was a primary author

“A method to improve observations of gamma ray sources near 10^{15} eV,” P. Sommers and J.W. Elbert, *Proc. 19th Int. Cos. Ray Conf.*” (La Jolla), **3**, 457-460 (1985).

“Modeling cosmic ray anisotropies near 10^{18} eV,” P. Sommers and J.W. Elbert, *Proc. 19th Int. Cos. Ray Conf.*” (La Jolla), **2**, 304-307 (1985).

“A search for 10^{18} eV point sources, including Cygnus X-3,” G.L. Cassiday et al., *Proc. 21st Int. Cos. Ray Conf.* **2**, 60-63 (1990).

“A coarse-grain anisotropy study of cosmic rays above 10^{17} eV,” G.L. Cassiday et al., *Proc. 21st Int. Cos. Ray Conf.* **3** 196-199 (1990).

“Mapping the UHE sky in search of point sources,” G.L. Cassiday et al., *Nucl. Phys. B (Proc. Suppl)* **14A**, 291-298 (1990).

“Fly’s Eye Observations,” P. Sommers, *Astrophysical Aspects of the Most Energetic Cosmic Rays*, Eds: M. Nagano and F. Takahara, World Scientific, 34-48 (1991).

“Neutrino fluxes from compact sources in the Galaxy,” P. Sommers, *High Energy Neutrino Astrophysics,*” ed: V.J. Stenger et al., World Scientific, 130-140 (1992).

“High energy neutrinos from the cores and jets of active galaxies,” F.W. Stecker, C. Done, M.H. Salamon, and P. Sommers *High Energy Neutrino Astrophysics,*” ed: V.J. Stenger et al., World Scientific, 1-16 (1992).

“A Fly’s Eye search for point sources of EeV air showers,” D.J. Bird et al., *Proc. 23rd Int. Cos. Ray Conf.* (Calgary) **2**, 30-33 (1993).

“Anisotropy analyses of EeV air showers measured by the Fly’s Eye,” D.J. Bird et al., *Proc. 23rd Int. Cos. Ray Conf.* **2**, 51-54 (1993).

“Charged particle astronomy above 100 EeV,” P. Sommers, *Proc. of Tokyo Workshop on Techniques for the Study of Extremely High Energy Cosmic Rays*, ed: M. Nagano (Tokyo, Inst for Cosmic Ray Research, Univ. of Tokyo), 23-34 (1993).

“The ‘knee’ composition using the Telescope Array,” P. Sommers, *Proc. of Tokyo Workshop on Techniques for the Study of Extremely High Energy Cosmic Rays*,

ed: M. Nagano (Tokyo, Inst for Cosmic Ray Research, Univ. of Tokyo), 206-218 (1993).

“The highest energy cosmic rays,” P. Sommers, *Proc. of the DPF Conference*, Albuquerque (August, 1994).

“Atmospheric Monitoring for Fluorescence Detector Experiments,” D.J. Bird et al., *Proc. Int. Cosmic Ray Conf. (Rome)* **3**, 560 (1995).

“Highest energy cosmic rays and the Auger Project,” P. Sommers, *Proc. of the IX Jorge Andre Swica Summer School at Campos do Jordao, Brazil*, ed: Barata, Malbouisson, and Novaes, 493-512 (1997).

“Composition Results at the Knee from CASA-BLANCA,” L.F. Fortson et al., *26th ICRC (Salt Lake City)* **3**, p.125 (1999).

“The Auger fluorescence detector prototype telescope,” H. Bluemer et al., *Proc. 26th ICRC*, **5**, 345-348 (1999).

“Auger Fluorescence Detector and Hybrid Philosophy,” P. Sommers, *Proceedings of the International Workshop on Extremely High Energy Cosmic Rays – Experiments, Theories and Future Direction*, ICRP, Japan, Editor: M. Teshima, 2001

“The hybrid aperture and precision of the Auger observatory,” B. Dawson et al., *27th ICRC (Hamburg)* **v.2**, p.714 (2001).

“Calibration of the Auger fluorescence telescopes,” H.O. Klages et al., *27th ICRC (Hamburg)* **v.2**, p.741 (2001).

“Air Shower Experiments and Results, $E > 10^{12}$ eV” *27th ICRC Rapporteur volume (Hamburg)* August 15, (2001).

Auger Observatory Technical Notes

“Superhigh Energy Cosmic Rays,” Paul Sommers (GAP-1995-006).

“Three Eyes with Dual Mirrors,” Paul Sommers (GAP-1996-010).

“Trigger Sensitivity with Dual Mirrors,” Paul Sommers (GAP-1996-035).

“The Simple Spherical Mirror,” Paul Sommers (GAP-1996-037).

“The Logic of the Auger Hybrid Design,” Paul Sommers (GAP-1997-002).

“Pixel Trigger Time Constancy, Pixel Trigger Rate, and Noise Event Rate for the Auger Fluorescence Detector,” Paul Sommers (GAP-1998-009).

“Further Consideration of the Fluorescence Detector Trigger Requirements,” Paul Sommers and Bruce Dawson (GAP-1997-072).

“Dual Telescope Cost Analysis,” Paul Sommers (GAP-1998-009).

“Dome’ Calibration of Auger Telescopes,” Paul Sommers (GAP-1999-006).

“A Preliminary Analysis of the Optical Properties of Atmosphere in Millard County Region (Utah - USA),” B. Fick, J. Matthews, P. Sommers, and R. Biral (GAP-1999-026).

“Fluorescence Detector Optical Calibration and Atmospheric Monitoring for the Pierre Auger Experiment,” R. Clay et al. (GAP-2000-033).

“Ultra-Local Phase Function Measurement,” Brian Fick, Paul Sommers and Michael D. Roberts (GAP-2000-059).

“Mobile Lidar Test in Millard County ,” Brian Fick, Mike Roberts and Paul Sommers (GAP-2001-012).

“Shower Profile Reconstruction with Engineering Array FD Data,” Bruce Dawson, Martin Debes, and Paul Sommers (GAP-2001-016).

“The Hybrid Aperture and Precision of the Auger Observatory,” Bruce Dawson and Paul Sommers (GAP-2001-024).

“Proposal for an Auger anisotropy prescription,” R. Clay et al. (GAP-2001-047).

“Hybrid Laser Timing Studies,” B. Fick and P. Sommers (GAP-2002-001).

“Absolute calibration of the Auger fluorescence detectors using atmospheric laser beams,” M.D. Roberts, P. Sommers, B. Fick (GAP-2003-010).

“A Numerical Recipe for Fluorescence Detector Geometric Reconstruction,” Paul Sommers and Brian Fick (GAP-2003-045).

“The First Central Laser Facility,” B. Fick et al. (GAP-2004-003).